

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000				
2026	2030	T	O	WG05	Y	709		561			465						334									10																				
2026	2030	T	O	WG06	A	709		561			465						334									10																				
2026	2030	T	O	WG06	AW	709		561			465						334									10																				
2026	2030	T	O	WG06	B	709		561			465						334									10																				
2026	2030	T	O	WG06	C	709		561			465						334									10																				
2026	2030	T	O	WG06	D	709		561			465						334									10																				
2026	2030	T	O	WG06	F	355		281			233						167									5																				
2026	2030	T	O	WG06	G	355		281			233						167									5																				
2026	2030	T	O	WG06	H	709		561			465						334									10																				
2026	2030	T	O	WG06	I	709		561			465						334									10																				
2026	2030	T	O	WG06	J	496		393			326						234									7																				
2026	2030	T	O	WG06	K	496		393			326						234									7																				
2026	2030	T	O	WG06	TER	709		561			465						334									10																				
2026	2030	T	O	WG06	Y	709		561			465						334									10																				
2026	2030	T	O	WG07	A	567		449			372						267									8																				
2026	2030	T	O	WG07	AW	567		449			372						267									8																				
2026	2030	T	O	WG07	B	567		449			372																																			

Jaar	Code WOZ-deelobject	Systeematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000				
2026	2030	T	O	WG20	D	250				125				65							30								3																	
2026	2030	T	O	WG20	F	125						65	30								15								3																	
2026	2030	T	O	WG20	G	125						65	30								15								3																	
2026	2030	T	O	WG20	H	250						125	65								30								3																	
2026	2030	T	O	WG20	I	250						125	65								30								3																	
2026	2030	T	O	WG20	J	190						95	50								25								3																	
2026	2030	T	O	WG20	K	250						125	65								30								3																	
2026	2030	T	O	WG22	A	350							175								75								25																	
2026	2030	T	O	WG22	AW	350							175								75								25																	
2026	2030	T	O	WG22	B	250						125	65								30								3																	
2026	2030	T	O	WG22	C	250					125		65								30								3																	
2026	2030	T	O	WG22	D	250					125		65								30								3																	
2026	2030	T	O	WG22	F	125						65	30								15								3																	
2026	2030	T	O	WG22	G	125						65	30								15								3																	
2026	2030	T	O	WG22	H	250						125	65								30								3																	
2026	2030	T	O	WG22	I	250						125	65								30								3																	
2026	2030	T	O	WG22	J	190						95	50								25								3																	
2026	2030	T	O	WG22	K	250						125	65								30								3																	
2026	2030	T	O	WG23	A	350							175								75								20																	
2026	2030	T	O	WG23	AW	350							175								75								20																	
2026	2030	T	O	WG23	B	250						125	65								30								3																	
2026	2030	T	O	WG23	C	250					125		65								30								3																	
2026	2030	T	O	WG23	D	250					125		65								30								3																	
2026	2030	T	O	WG23	F	125						65	30								15								3																	
2026	2030	T	O	WG23	G	125						65	30								15								3																	
2026	2030	T	O	WG23	H	250						125	65								30								3																	
2026	2030	T	O	WG23	I	250						125	65								30								3																	
2026	2030	T	O	WG23	J	190						95	50								25								3																	
2026	2030	T	O	WG23	K	250						125	65								30								3																	
2026	2030	T	O	WG24	A	350							175								75								20																	
2026	2030	T	O	WG24	AW	350							175								75								20																	
2026	2030	T	O	WG24	B	250						125	65								30								3																	
2026	2030	T	O	WG24	C	250					125		65								30								3																	
2026	2030	T	O	WG24	D	250					125		65								30								3																	
2026	2030	T	O	WG24	F	125						65	30								15								3																	
2026	2030	T	O	WG24	G	125						65	30								15								3																	
2026	2030	T	O	WG24	H	250						125	65								30								3																	
2026	2030	T	O	WG24	I	250						125	65								30								3																	
2026	2030	T	O	WG24	J	190						95	50								25								3																	
2026	2030	T	O	WG24	K	250						125	65								30								3																	
2026	2030	T	O	WG25	A	370							190								75								25																	
2026	2030	T	O	WG25	AW	370							190								75								25																	
2026	2030	T	O	WG25	B	270						135	70								35								3																	
2026	2030	T	O	WG25	C	270					135		70								35								3																	
2026	2030	T	O	WG25	D	270					135		70								35								3																	
2026	2030	T	O	WG25	F	135						70	35								15								3																	
2026	2030	T	O	WG25	G	135						70	35								15								3																	
2026	2030	T	O	WG25	H	270						135	70								35								3																	
2026	2030	T	O	WG25	I	270						135	70								35								3																	
2026	2030	T	O	WG25	J	205						105	50								25								3																	
2026	2030	T	O	WG25	K	270						135	70								35								3																	
2026	2030	T	O	WG26	A	350							175								75								25																	
2026	2030	T	O	WG26	AW	350							175								75								25																	
2026	2030	T	O	WG26	B	250						125	65							</																										

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000		
2026		2030 T	O	WG15	G	132				66				36							18								4															
2026		2030 T	O	WG15	H	264				132				66							36								4															
2026		2030 T	O	WG15	I	264				132				66							36								4															
2026		2030 T	O	WG15	J	198				102				48							24								4															
2026		2030 T	O	WG15	K	264				132				66							36								4															
2026		2030 T	O	WG16	A	264								132							36								4															
2026		2030 T	O	WG16	AW	264								132							36								4															
2026		2030 T	O	WG16	B	264				132				66							36								4															
2026		2030 T	O	WG16	C	264				132				66							36								4															
2026		2030 T	O	WG16	D	264				132				66							36								4															
2026		2030 T	O	WG16	F	132				66				36							18								4															
2026		2030 T	O	WG16	G	132				66				36							18								4															
2026		2030 T	O	WG16	H	264				132				66							36								4															
2026		2030 T	O	WG16	I	264				132				66							36								4															
2026		2030 T	O	WG16	J	198				102				48							24								4															
2026		2030 T	O	WG16	K	264				132				66							36								4															
2026		2030 T	O	WG17	A	264								132							36								4															
2026		2030 T	O	WG17	AW	264								132							36								4															
2026		2030 T	O	WG17	B	264				132				66							36								4															
2026		2030 T	O	WG17	C	264				132				66							36								4															
2026		2030 T	O	WG17	D	264				132				66							36								4															
2026		2030 T	O	WG17	E	108				60				30							0								0															
2026		2030 T	O	WG17	E1	108				60				30							0								0															
2026		2030 T	O	WG17	E2	108				60				30							0								0															
2026		2030 T	O	WG17	F	132				66				36							18								4															
2026		2030 T	O	WG17	G	132				66				36							18								4															
2026		2030 T	O	WG17	H	264				132				66							36								4															
2026		2030 T	O	WG17	I	264				132				66							36								4															
2026		2030 T	O	WG17	J	198				102				48							24								4															
2026		2030 T	O	WG17	K	264				132				66							36								4															
2026		2030 T	O	WG18	A	264								132							36								4															
2026		2030 T	O	WG18	AW	264								132							36								4															
2026		2030 T	O	WG18	B	264				132				66							36								4															
2026		2030 T	O	WG18	C	264				132				66							36								4															
2026		2030 T	O	WG18	D	264				132				66							36								4															
2026		2030 T	O	WG18	E	108				60				30							0								0															
2026		2030 T	O	WG18	E1	108				60				30							0								0															
2026		2030 T	O	WG18	E2	108				60				30							0								0															
2026		2030 T	O	WG18	F	132				66				36							18								4															
2026		2030 T	O	WG18	G	132				66				36							18								4															
2026		2030 T	O	WG18	H	264				132				66							36								4															
2026		2030 T	O	WG18	I	264				132				66							36								4															
2026		2030 T	O	WG18	J	198				102				48							24								4															
2026		2030 T	O	WG18	K	264				132				66							36								4															
2026		2030 T	O	WG19	A	264								132							36								4															
2026		2030 T	O	WG19	AW	264								132							36								4															
2026		2030 T	O	WG19	B	264				132				66							36								4															
2026		2030 T	O	WG19	C	264				132				66							36								4															
2026		2030 T	O	WG19	D	264				132				66							36								4															
2026		2030 T	O	WG19	E	108				60				30							0								0															
2026		2030 T	O	WG19	E1	108				60				30							0								0															
2026		2030 T	O	WG19	E2	108				60				30							0								0															
2026		2030 T	O	WG19	F	132				66				36							18								4															
2026		2030 T	O	WG19	G	132				66				36							18								4															
2026		2030 T	O	WG19	H	264				132				66							36								4															
2026		2030 T	O	WG19																																								

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000		
2026	2030	T	O	WG22	AW	264								132							36								4															
2026	2030	T	O	WG22	B	228				114				60								30								4														
2026	2030	T	O	WG22	C	228				114				60								30								4														
2026	2030	T	O	WG22	D	228				114				60								30								4														
2026	2030	T	O	WG22	F	114				60				30								12								4														
2026	2030	T	O	WG22	G	114				60				30								12								4														
2026	2030	T	O	WG22	H	228				114				60								30								4														
2026	2030	T	O	WG22	I	228				114				60								30								4														
2026	2030	T	O	WG22	J	172				84				42								24								4														
2026	2030	T	O	WG22	K	228				114				60								30								4														
2026	2030	T	O	WG23	A	228								114								30								4														
2026	2030	T	O	WG23	AW	228								114								30								4														
2026	2030	T	O	WG23	B	228				114				60								30								4														
2026	2030	T	O	WG23	C	228				114				60								30								4														
2026	2030	T	O	WG23	D	228				114				60								30								4														
2026	2030	T	O	WG23	F	114				60				30								12								4														
2026	2030	T	O	WG23	G	114				60				30								12								4														
2026	2030	T	O	WG23	H	228				114				60								30								4														
2026	2030	T	O	WG23	I	228				114				60								30								4														
2026	2030	T	O	WG23	J	172				84				42								24								4														
2026	2030	T	O	WG23	K	228				114				60								30								4														
2026	2030	T	O	WG24	A	228								114								30								4														
2026	2030	T	O	WG24	AW	228								114								30								4														
2026	2030	T	O	WG24	B	228				114				60								30								4														
2026	2030	T	O	WG24	C	228				114				60								30								4														
2026	2030	T	O	WG24	D	228				114				60								30								4														
2026	2030	T	O	WG24	F	114				60				30								12								4														
2026	2030	T	O	WG24	G	114				60				30								12								4														
2026	2030	T	O	WG24	H	228				114				60								30								4														
2026	2030	T	O	WG24	I	228				114				60								30								4														
2026	2030	T	O	WG24	J	172				84				42								24								4														
2026	2030	T	O	WG24	K	228				114				60								30								4														
2026	2030	T	O	WG25	A	228								114								30								4														
2026	2030	T	O	WG25	AW	228								114								30								4														
2026	2030	T	O	WG25	B	228				114				60								30								4														
2026	2030	T	O	WG25	C	228				114				60								30								4														
2026	2030	T	O	WG25	D	228				114				60								30								4														
2026	2030	T	O	WG25	F	114				60				30								12								4														
2026	2030	T	O	WG25	G	114				60				30								12								4														
2026	2030	T	O	WG25	H	228				114				60								30								4														
2026	2030	T	O	WG25	I	228				114				60								30								4														
2026	2030	T	O	WG25	J	172				84				42								24								4														
2026	2030	T	O	WG25	K	228				114				60								30								4														
2026	2030	T	O	WG26	A	228								114								30								4														
2026	2030	T	O	WG26	AW	228								114								30								4														
2026	2030	T	O	WG26	B	228				114				60								30								4														
2026	2030	T	O	WG26	C	228				114				60								30								4														
2026	2030	T	O	WG26	D	228				114				60								30								4														
2026	2030	T	O	WG26	F	114				60				30								12								4														
2026	2030	T	O	WG26	G	114				60				30								12								4														
2026	2030	T	O	WG26	H	228				114				60								30								4														
2026	2030	T	O	WG26	I	228				114				60								30								4														
2026	2030	T	O	WG26	J	172				84				42								24								4														
2026	2030	T	O	WG26	K	228				114				60								30								4														
2026	2030	T	O	WG27	A	228								114								30								4														
2026	2030	T	O	WG27	AW	228								114																														

Jaar	Code WOZ-deelobject	Systeematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000		
2026	2030	T	O	WG41	B	228				114				60							30								4															
2026	2030	T	O	WG41	C	228				114				60							30								4															
2026	2030	T	O	WG41	D	228				114				60							30								4															
2026	2030	T	O	WG41	F	114				60				30							12								4															
2026	2030	T	O	WG41	G	114				60				30							12								4															
2026	2030	T	O	WG41	H	228				114				60							30								4															
2026	2030	T	O	WG41	I	228				114				60							30								4															
2026	2030	T	O	WG41	J	172				84				42							24								4															
2026	2030	T	O	WG41	K	228				114				60							30								4															
2026	2030	T	O	WG42	A	228								114							30								4															
2026	2030	T	O	WG42	AW	228								114							30								4															
2026	2030	T	O	WG42	B	228				114				60							30								4															
2026	2030	T	O	WG42	C	228				114				60							30								4															
2026	2030	T	O	WG42	D	228				114				60							30								4															
2026	2030	T	O	WG42	F	114				60				30							12								4															
2026	2030	T	O	WG42	G	114				60				30							12								4															
2026	2030	T	O	WG42	H	228				114				60							30								4															
2026	2030	T	O	WG42	I	228				114				60							30								4															
2026	2030	T	O	WG42	J	172				84				42							24								4															
2026	2030	T	O	WG42	K	228				114				60							30								4															
Leusden																																												
2026	2030	T	O	WG01	A	622	622							308							77								6															
2026	2030	T	O	WG01	AW	622	622							308							77								6															
2026	2030	T	O	WG01	B	622	622				308			154							77								6															
2026	2030	T	O	WG01	C	622	622			308				154							77								6															
2026	2030	T	O	WG01	D	622	622			308				154							77								6															
2026	2030	T	O	WG01	F	308	308			154				77							33								6															
2026	2030	T	O	WG01	G	308	308			154				77							33								6															
2026	2030	T	O	WG01	H	622	622			308				154							77								6															
2026	2030	T	O	WG01	I	622	622			308				154							77								6															
2026	2030	T	O	WG01	J	462	462			231				116							55								6															
2026	2030	T	O	WG01	K	622	622			308				154							77								6															
2026	2030	T	O	WG02	A	622	622							308							77								6															
2026	2030	T	O	WG02	AW	622	622							308							77								6															
2026	2030	T	O	WG02	B	622	622				308			154							77								6															
2026	2030	T	O	WG02	C	622	622			308				154							77								6															
2026	2030	T	O	WG02	D	622	622			308				154							77								6															
2026	2030	T	O	WG02	F	308	308			154				77							33								6															
2026	2030	T	O	WG02	G	308	308			154				77							33								6															
2026	2030	T	O	WG02	H	622	622			308				154							77								6															
2026	2030	T	O	WG02	I	622	622			308				154							77								6															
2026	2030	T	O	WG02	J	462	462			231				116							55								6															
2026	2030	T	O	WG02	K	622	622			308				154							77								6															
2026	2030	T	O	WG03	A	622	622							308							77								6															
2026	2030	T	O	WG03	AW	622	622							308							77								6															
2026	2030	T	O	WG03	B	622	622				308			154							77								6															
2026	2030	T	O	WG03	C	622	622			308				154							77								6															
2026	2030	T	O	WG03	D	622	622			308				154							77								6															
2026	2030	T	O	WG03	F	325	325			165				82,5							38,5								6															
2026	2030	T	O	WG03	G	325	325			165				82,5							38,5								6															
2026	2030	T	O	WG03	H	622	622			308				154							77								6															
2026	2030	T	O	WG03	I	649	649			325				160							77								6															
2026	2030	T	O	WG03	J	490	490			248				121							60,5								6															
2026	2030	T	O	WG03	K	622	622			308				154							77								6															
2026	2030	T	O	WG04	A	622	622							308							77								6															
2026	2030	T	O	WG04	AW	622	622							308							77																							

[illegible]

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000	
2026	2030	T	O	WG11	J	490	490			248				121							60,5								6														
2026	2030	T	O	WG11	K	649	649			325				160							77								6														
2026	2030	T	O	WG12	A	622	622							308							77								6														
2026	2030	T	O	WG12	AW	622	622							308							77								6														
2026	2030	T	O	WG12	B	622	622			308				154							77								6														
2026	2030	T	O	WG12	C	622	622			308				154							77								6														
2026	2030	T	O	WG12	D	622	622			308				154							77								6														
2026	2030	T	O	WG12	F	308	308			154				77							33								6														
2026	2030	T	O	WG12	G	308	308			154				77							33								6														
2026	2030	T	O	WG12	H	622	622			308				154							77								6														
2026	2030	T	O	WG12	I	622	622			308				154							77								6														
2026	2030	T	O	WG12	J	462	462			231				116							55								6														
2026	2030	T	O	WG12	K	622	622			308				154							77								6														
2026	2030	T	O	WG13	A	649	649							325							77								6														
2026	2030	T	O	WG13	AW	649	649							325							77								6														
2026	2030	T	O	WG13	B	649	649			325				160							77								6														
2026	2030	T	O	WG13	C	649	649			325				160							77								6														
2026	2030	T	O	WG13	D	649	649			325				160							77								6														
2026	2030	T	O	WG13	F	325	325			165				82,5							38,5								6														
2026	2030	T	O	WG13	G	325	325			165				82,5							38,5								6														
2026	2030	T	O	WG13	H	649	649			325				160							77								6														
2026	2030	T	O	WG13	I	649	649			325				160							77								6														
2026	2030	T	O	WG13	J	490	490			248				121							60,5								6														
2026	2030	T	O	WG13	K	649	649			325				160							77								6														
2026	2030	T	O	WG14	A	710	710							358							82,5								6														
2026	2030	T	O	WG14	AW	710	710							358							82,5								6														
2026	2030	T	O	WG14	B	710	710			358				176							82,5								6														
2026	2030	T	O	WG14	C	710	710			358				176							82,5								6														
2026	2030	T	O	WG14	D	710	710			358				176							82,5								6														
2026	2030	T	O	WG14	F	358	358			176				88							38,5								6														
2026	2030	T	O	WG14	G	358	358			176				88							38,5								6														
2026	2030	T	O	WG14	H	710	710			358				176							82,5								6														
2026	2030	T	O	WG14	I	710	710			358				176							82,5								6														
2026	2030	T	O	WG14	J	534	534			264				132							66								6														
2026	2030	T	O	WG14	K	710	710			358				176							82,5								6														
2026	2030	T	O	WG15	A	649	649							325							77								6														
2026	2030	T	O	WG15	AW	649	649							325							77								6														
2026	2030	T	O	WG15	B	622	622			308				154							77								6														
2026	2030	T	O	WG15	C	649	649			325				160							77								6														
2026	2030	T	O	WG15	D	649	649			325				160							77								6														
2026	2030	T	O	WG15	F	325	325			165				82,5							38,5								6														
2026	2030	T	O	WG15	G	325	325			165				82,5							38,5								6														
2026	2030	T	O	WG15	H	649	649			325				160							77								6														
2026	2030	T	O	WG15	I	649	649			325				160							77								6														
2026	2030	T	O	WG15	J	490	490			248				121							60,5								6														
2026	2030	T	O	WG15	K	649	649			325				160							77								6														
2026	2030	T	O	WG16	A	649	649							325							77								6														
2026	2030	T	O	WG16	AW	649	649							325							77								6														
2026	2030	T	O	WG16	B	622	622			308				154							77								6														
2026	2030	T	O	WG16	C	649	649			325				160							77								6														
2026	2030	T	O	WG16	D	649	649			325				160							77								6														
2026	2030	T	O	WG16	F	325	325			165				82,5							38,5								6														
2026	2030	T	O	WG16	G	325	325			165				82,5							38,5								6														
2026	2030	T	O	WG16	H	649	649			325				160							77								6														
2026	2030	T	O	WG16	I	649	649			325				160							77								6														
2026																																											

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000	
2026	2030	T	O	WG02	J	360								180							90							6															
2026	2030	T	O	WG02	K	580								290							145							6															
2026	2030	T	O	WG03	A	675								350			250				175	100	60																				
2026	2030	T	O	WG03	AW	650								350							180							6															
2026	2030	T	O	WG03	B	625								325							175							6															
2026	2030	T	O	WG03	C	610				305				150							75							6															
2026	2030	T	O	WG03	D	610				305				150							75							6															
2026	2030	T	O	WG03	F	250								125							62							6															
2026	2030	T	O	WG03	G	250								125							62							6															
2026	2030	T	O	WG03	H	510								255							127							6															
2026	2030	T	O	WG03	I	580								290							145							6															
2026	2030	T	O	WG03	J	360								180							90							6															
2026	2030	T	O	WG03	K	580								290							145							6															
2026	2030	T	O	WG04	A	650								350							180							6															
2026	2030	T	O	WG04	AW	650								350							180							6															
2026	2030	T	O	WG04	B	625								275							125							6															
2026	2030	T	O	WG04	C	610				305				150							75							6															
2026	2030	T	O	WG04	D	610				305				150							75							6															
2026	2030	T	O	WG04	F	250								125							62							6															
2026	2030	T	O	WG04	G	250								125							62							6															
2026	2030	T	O	WG04	H	510								255							127							6															
2026	2030	T	O	WG04	I	610								305							152							6															
2026	2030	T	O	WG04	J	360								180							90							6															
2026	2030	T	O	WG04	K	610								305							152							6															
2026	2030	T	O	WG05	A	650								350							180							6															
2026	2030	T	O	WG05	AW	650								350							180							6															
2026	2030	T	O	WG05	B	600						400		225			100				70		40			6																	
2026	2030	T	O	WG05	C	610				305				150							75							6															
2026	2030	T	O	WG05	D	610				305				150							75							6															
2026	2030	T	O	WG05	F	250								125							62							6															
2026	2030	T	O	WG05	G	250								125							62							6															
2026	2030	T	O	WG05	H	510								255							127							6															
2026	2030	T	O	WG05	I	580								290							145							6															
2026	2030	T	O	WG05	J	360								180							90							6															
2026	2030	T	O	WG05	K	580								290							145							6															
2026	2030	T	O	WG06	A	650								350							180							6															
2026	2030	T	O	WG06	AW	650								350							180							6															
2026	2030	T	O	WG06	B	625								325							175							6															
2026	2030	T	O	WG06	C	610				305				150							75							6															
2026	2030	T	O	WG06	D	610				305				150							75							6															
2026	2030	T	O	WG06	F	250								125							62							6															
2026	2030	T	O	WG06	G	250								125							62							6															
2026	2030	T	O	WG06	H	510								255							127							6															
2026	2030	T	O	WG06	I	580								290							145							6															
2026	2030	T	O	WG06	J	360								180							90							6															
2026	2030	T	O	WG06	K	580								290							145							6															
2026	2030	T	O	WG07	A	575								275							100							6															
2026	2030	T	O	WG07	AW	615								290		225					125		75			10																	
2026	2030	T	O	WG07	B	625								250							50							6															
2026	2030	T	O	WG07	C	610				305				150							75							6															
2026	2030	T	O	WG07	D	610				305				150							75							6															
2026	2030	T	O	WG07	F	250								125							62							6															
2026	2030	T	O	WG07	G	250								125							62							6															
2026	2030	T	O	WG07	H	510								255							127							6															
2026	2030	T	O	WG07	I	580								290							145							6															
2026	2030	T	O	WG07	J	360								180							90							6															
2026	2030	T	O	WG07	K	580								290							145																						

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000					
2026	2030	T	O	WG09	B	590								285							125							6																			
2026	2030	T	O	WG09	C	610				305				150							75							6																			
2026	2030	T	O	WG09	D	610				305				150							75							6																			
2026	2030	T	O	WG09	F	250								125							62							6																			
2026	2030	T	O	WG09	G	250								125							62							6																			
2026	2030	T	O	WG09	H	510								255							127							6																			
2026	2030	T	O	WG09	I	580								290							145							6																			
2026	2030	T	O	WG09	J	360								180							90							6																			
2026	2030	T	O	WG09	K	580								290							145							6																			
2026	2030	T	O	WG10	A	650								350							180							6																			
2026	2030	T	O	WG10	AW	650								350							180							6																			
2026	2030	T	O	WG10	B	625								325							175							6																			
2026	2030	T	O	WG10	C	610				305				150							75							6																			
2026	2030	T	O	WG10	D	610				305				150							75							6																			
2026	2030	T	O	WG10	F	250								125							62							6																			
2026	2030	T	O	WG10	G	250								125							62							6																			
2026	2030	T	O	WG10	H	510								255							127							6																			
2026	2030	T	O	WG10	I	510								255							127							6																			
2026	2030	T	O	WG10	J	360								180							90							6																			
2026	2030	T	O	WG10	K	510								255							127							6																			
2026	2030	T	O	WG11	A	650								350							180							6																			
2026	2030	T	O	WG11	AW	650								350							180							6																			
2026	2030	T	O	WG11	B	625								325							175							6																			
2026	2030	T	O	WG11	C	560				305		225		50										10				6																			
2026	2030	T	O	WG11	D	610					305		200	110							15							6																			
2026	2030	T	O	WG11	F	250								125							62							6																			
2026	2030	T	O	WG11	G	250								125							62							6																			
2026	2030	T	O	WG11	H	510								255							127							6																			
2026	2030	T	O	WG11	I	580								290							145							6																			
2026	2030	T	O	WG11	J	360								180							90							6																			
2026	2030	T	O	WG11	K	580								290							145							6																			
2026	2030	T	O	WG12	A	650								350							180							6																			
2026	2030	T	O	WG12	AW	650								350							180							6																			
2026	2030	T	O	WG12	B	625								325							175							6																			
2026	2030	T	O	WG12	C	610					305			150							75							6																			
2026	2030	T	O	WG12	D	610					305			150							75							6																			
2026	2030	T	O	WG12	F	250								125							62							6																			
2026	2030	T	O	WG12	G	250								125							62							6																			
2026	2030	T	O	WG12	H	510								255							127							6																			
2026	2030	T	O	WG12	I	510								255							127							6																			
2026	2030	T	O	WG12	J	360								180							90							6																			
2026	2030	T	O	WG12	K	510								255							127							6																			
2026	2030	T	O	WG13	A	650								350							180							6																			
2026	2030	T	O	WG13	AW	650								350							180							6																			
2026	2030	T	O	WG13	B	625								325							175							6																			
2026	2030	T	O	WG13	C	610					305			150							75							6																			
2026	2030	T	O	WG13	D	610					305			150							75							6																			
2026	2030	T	O	WG13	F	250								125							62							6																			
2026	2030	T	O	WG13	G	250								125							62							6																			
2026	2030	T	O	WG14	H	510								255							127							6																			
2026	2030	T	O	WG14	I	580								290							145							6																			
2026	2030	T	O	WG14	J	360								180							90							6																			
2026	2030	T	O	WG14	K	580								290							145							6																			
2026	2030	T	O	WG15	A	650								350																																	

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000	
2026	2030	T	O	WG15	G	250								125							62							6															
2026	2030	T	O	WG15	H	510								255							127							6															
2026	2030	T	O	WG15	I	610								305							152							6															
2026	2030	T	O	WG15	J	360								180							90							6															
2026	2030	T	O	WG15	K	610								305							152							6															
2026	2030	T	O	WG16	A	650								350							180							6															
2026	2030	T	O	WG16	AW	650								350							180							6															
2026	2030	T	O	WG16	B	625								325							175							6															
2026	2030	T	O	WG16	C	610				305				150							75							6															
2026	2030	T	O	WG16	D	610				305				150							75							6															
2026	2030	T	O	WG16	F	250								125							62							6															
2026	2030	T	O	WG16	G	250								125							62							6															
2026	2030	T	O	WG16	H	510								255							127							6															
2026	2030	T	O	WG16	I	510								255							127							6															
2026	2030	T	O	WG16	J	360								180							90							6															
2026	2030	T	O	WG16	K	510								255							127							6															
2026	2030	T	O	WG17	A	650								350							180							6															
2026	2030	T	O	WG17	AW	650								350							180							6															
2026	2030	T	O	WG17	B	625								325							175							6															
2026	2030	T	O	WG17	C	610				305				150							75							6															
2026	2030	T	O	WG17	D	610				305				150							75							6															
2026	2030	T	O	WG17	F	250								125							62							6															
2026	2030	T	O	WG17	G	250								125							62							6															
2026	2030	T	O	WG17	H	510								255							127							6															
2026	2030	T	O	WG17	I	610								305							152							6															
2026	2030	T	O	WG17	J	360								180							90							6															
2026	2030	T	O	WG17	K	610								305							152							6															
2026	2030	T	O	WG18	A	650								350							180							6															
2026	2030	T	O	WG18	AW	650								350							180							6															
2026	2030	T	O	WG18	B	575							250	150							100							6															
2026	2030	T	O	WG18	C	610				305				150							75							6															
2026	2030	T	O	WG18	D	610				305				150							75							6															
2026	2030	T	O	WG18	F	250								125							62							6															
2026	2030	T	O	WG18	G	250								125							62							6															
2026	2030	T	O	WG18	H	510								255							127							6															
2026	2030	T	O	WG18	I	580								290							145							6															
2026	2030	T	O	WG18	J	360								180							90							6															
2026	2030	T	O	WG18	K	580								290							145							6															
2026	2030	T	O	WG19	A	615								325							160							6															
2026	2030	T	O	WG19	AW	615								325							160							6															
2026	2030	T	O	WG19	B	595								310							145							6															
2026	2030	T	O	WG19	C	580								150							75							6															
2026	2030	T	O	WG19	D	580				290				150							75							6															
2026	2030	T	O	WG19	F	250								125							62							6															
2026	2030	T	O	WG19	G	250								125							62							6															
2026	2030	T	O	WG19	H	480								240							120							6															
2026	2030	T	O	WG19	I	390								195							97							6															
2026	2030	T	O	WG19	J	360								180							90							6															
2026	2030	T	O	WG19	K	390								195							97							6															
2026	2030	T	O	WG20	A	615								290							110							10															
2026	2030	T	O	WG20	AW	615								325							160							6															
2026	2030	T	O	WG20	B	595								310							145							6															
2026	2030	T	O	WG20	C	580				290				150							75							6															
2026	2030	T	O	WG20	D	580				290				150							75							6															
2026	2030	T	O	WG20	F	250								125							62							6															
2026	2030	T	O	WG20	G	250								125							62							6															
2026	2030	T	O	WG20	H	480								240							120							6															

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000	
2026	2030	T	O	WG27	A	250								125							38							5															
2026	2030	T	O	WG27	AW	250								125							38							5															
2026	2030	T	O	WG27	B	250						125		38							25							5															
2026	2030	T	O	WG27	C	250				125				38							25							5															
2026	2030	T	O	WG27	D	250				125				38							25							5															
2026	2030	T	O	WG27	F	50								8							5							5															
2026	2030	T	O	WG27	G	50								25							8							5															
2026	2030	T	O	WG27	H	250						125		38							25							5															
2026	2030	T	O	WG27	I	250						125		38							25							5															
2026	2030	T	O	WG27	J	190								95							29							5															
2026	2030	T	O	WG27	K	250						125		38							25							5															
2026	2030	T	O	WG28	A	200								100							30							5															
2026	2030	T	O	WG28	AW	200								100							30							5															
2026	2030	T	O	WG28	B	200						100		30							20							5															
2026	2030	T	O	WG28	C	200				100				30							20							5															
2026	2030	T	O	WG28	D	200				100				30							20							5															
2026	2030	T	O	WG28	F	50								8							5							5															
2026	2030	T	O	WG28	G	50								25							8							5															
2026	2030	T	O	WG28	H	200						100		30							20							5															
2026	2030	T	O	WG28	I	200						100		30							20							5															
2026	2030	T	O	WG28	J	150								75							23							5															
2026	2030	T	O	WG28	K	200						100		30							20							5															
2026	2030	T	O	WG29	A	230								115							35							5															
2026	2030	T	O	WG29	AW	230								115							35							5															
2026	2030	T	O	WG29	B	230						115		35							23							5															
2026	2030	T	O	WG29	C	230				115				35							23							5															
2026	2030	T	O	WG29	D	230				115				35							23							5															
2026	2030	T	O	WG29	F	50								8							5							5															
2026	2030	T	O	WG29	G	50								25							8							5															
2026	2030	T	O	WG29	H	230						115		35							23							5															
2026	2030	T	O	WG29	I	230						115		35							23							5															
2026	2030	T	O	WG29	J	170								85							26							5															
2026	2030	T	O	WG29	K	230						115		35							23							5															
2026	2030	T	O	WG30	A	200								100							30							5															
2026	2030	T	O	WG30	AW	200								100							30							5															
2026	2030	T	O	WG30	B	200						100		30							20							5															
2026	2030	T	O	WG30	C	200				100				30							20							5															
2026	2030	T	O	WG30	D	200				100				30							20							5															
2026	2030	T	O	WG30	F	50								8							5							5															
2026	2030	T	O	WG30	G	50								25							8							5															
2026	2030	T	O	WG30	H	200						100		30							20							5															
2026	2030	T	O	WG30	I	200						100		30							20							5															
2026	2030	T	O	WG30	J	150								75							23							5															
2026	2030	T	O	WG30	K	200						100		30							20							5															
2026	2030	T	O	WG31	A	200								100							30							5															
2026	2030	T	O	WG31	AW	200								100							30							5															
2026	2030	T	O	WG31	B	200						100		30							20							5															
2026	2030	T	O	WG31	C	200				100				30							20							5															
2026	2030	T	O	WG31	D	200				100				30							20							5															
2026	2030	T	O	WG31	F	50								8							5							5															
2026	2030	T	O	WG31	G	50								25							8							5															
2026	2030	T	O	WG31	H	200						100		30							20							5															
2026	2030	T	O	WG31	I	200						100		30							20							5															
2026	2030	T	O	WG31	J	150								75							23							5															
2026	2030	T	O	WG31	K	200						100		30							20							5															
2026	2030	T	O	WG32	A	200								100							30							5															
2026	2030	T	O	WG32	AW	200								100							30							5															

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000				
2026	2030	T	O	WG39	I	230						115		35							23							5																		
2026	2030	T	O	WG39	J	170								85							26							5																		
2026	2030	T	O	WG39	K	230						115		35							23							5																		
2026	2030	T	O	WG40	A	250								125							38							5																		
2026	2030	T	O	WG40	AW	250								125							38							5																		
2026	2030	T	O	WG40	B	250						125		38							25							5																		
2026	2030	T	O	WG40	C	250				125				38							25							5																		
2026	2030	T	O	WG40	D	250				125				38							25							5																		
2026	2030	T	O	WG40	F	50								8							5							5																		
2026	2030	T	O	WG40	G	50								25							8							5																		
2026	2030	T	O	WG40	H	250						125		38							25							5																		
2026	2030	T	O	WG40	I	250						125		38							25							5																		
2026	2030	T	O	WG40	J	190								95							29							5																		
2026	2030	T	O	WG40	K	250						125		38							25							5																		
2026	2030	T	O	WG41	A	250								125							38							5																		
2026	2030	T	O	WG41	AW	250								125							38							5																		
2026	2030	T	O	WG41	B	250						125		38							25							5																		
2026	2030	T	O	WG41	C	250				125				38							25							5																		
2026	2030	T	O	WG41	D	250				125				38							25							5																		
2026	2030	T	O	WG41	F	50								8							5							5																		
2026	2030	T	O	WG41	G	50								25							8							5																		
2026	2030	T	O	WG41	H	250						125		38							25							5																		
2026	2030	T	O	WG41	I	250						125		38							25							5																		
2026	2030	T	O	WG41	J	190								95							29							5																		
2026	2030	T	O	WG41	K	250						125		38							25							5																		
2026	2030	T	O	WG42	A	200								100							30							5																		
2026	2030	T	O	WG42	AW	200								100							30							5																		
2026	2030	T	O	WG42	B	200						100		30							20							5																		
2026	2030	T	O	WG42	C	200				100				30							20							5																		
2026	2030	T	O	WG42	D	200				100				30							20							5																		
2026	2030	T	O	WG42	F	50								8							5							5																		
2026	2030	T	O	WG42	G	50								25							8							5																		
2026	2030	T	O	WG42	H	200						100		30							20							5																		
2026	2030	T	O	WG42	I	200						100		30							20							5																		
2026	2030	T	O	WG42	J	150								75							23							5																		
2026	2030	T	O	WG42	K	200						100		30							20							5																		
2026	2030	T	O	WG43	A	200								100							30							5																		
2026	2030	T	O	WG43	AW	200								100							30							5																		
2026	2030	T	O	WG43	B	200						100		30							20							5																		
2026	2030	T	O	WG43	C	200				100				30							20							5																		
2026	2030	T	O	WG43	D	200				100				30							20							5																		
2026	2030	T	O	WG43	F	50								8							5							5																		
2026	2030	T	O	WG43	G	50								25							8							5																		
2026	2030	T	O	WG43	H	200						100		30							20							5																		
2026	2030	T	O	WG43	I	200						100		30							20							5																		
2026	2030	T	O	WG43	J	150								75							23							5																		
2026	2030	T	O	WG43	K	200						100		30							20							5																		
2026	2030	T	O	WG44	A	200								100							30							5																		
2026	2030	T	O	WG44	AW	200								100							30							5																		
2026	2030	T	O	WG44	B	200						100		30							20							5																		
2026	2030	T	O	WG44	C	200				100				30							20							5																		
2026	2030	T	O	WG44	D	200				100				30							20							5																		
2026	2030	T	O	WG44	F	50								8							5							5																		
2026	2030	T	O	WG44	G	50								25							8							5																		
2026	2030	T	O	WG44	H	200																																								

Jaar	Code WOZ-deelobject	Systeematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000					
2026	2030 T	O		WG21	G	411		351			275										60																										
2026	2030 T	O		WG21	H	822		702			550										120																										
2026	2030 T	O		WG21	I	822		702			550										120																										
2026	2030 T	O		WG21	J	617		527			413										90																										
2026	2030 T	O		WG21	K	617		527			413										90																										
2026	2030 T	O		WG21	TER	822		702			550										120																										
2026	2030 T	O		WG21	Y	822		702			550										120																										
2026	2030 T	O		WG22	A	822		702			550										120																										
2026	2030 T	O		WG22	AW	822		702			550										120																										
2026	2030 T	O		WG22	B	822		702			550										120																										
2026	2030 T	O		WG22	C	822		702			550										120																										
2026	2030 T	O		WG22	D	822		702			550										120																										
2026	2030 T	O		WG22	F	411		351			275										60																										
2026	2030 T	O		WG22	G	411		351			275										60																										
2026	2030 T	O		WG22	H	822		702			550										120																										
2026	2030 T	O		WG22	I	822		702			550										120																										
2026	2030 T	O		WG22	J	617		527			413										90																										
2026	2030 T	O		WG22	K	617		527			413										90																										
2026	2030 T	O		WG22	K	617		527			413										90																										
2026	2030 T	O		WG22	TER	822		702			550										120																										
2026	2030 T	O		WG22	Y	822		702			550										120																										
2026	2030 T	O		WG23	A	822		702			550										120																										
2026	2030 T	O		WG23	AW	822		702			550										120																										
2026	2030 T	O		WG23	B	822		702			550										120																										
2026	2030 T	O		WG23	B	822		702			550										120																										
2026	2030 T	O		WG23	C	822		702			550										120																										
2026	2030 T	O		WG23	D	822		702			550										120																										
2026	2030 T	O		WG23	F	411		351			275										60																										
2026	2030 T	O		WG23	G	411		351			275										60																										
2026	2030 T	O		WG23	H	822		702			550										120																										
2026	2030 T	O		WG23	H	822		702			550										120																										
2026	2030 T	O		WG23	I	822		702			550										120																										
2026	2030 T	O		WG23	I	822		702			550										120																										
2026	2030 T	O		WG23	J	617		527			413										90																										
2026	2030 T	O		WG23	J	617		527			413										90																										
2026	2030 T	O		WG23	K	617		527			413										90																										
2026	2030 T	O		WG23	TER	822		702			550										120																										
2026	2030 T	O		WG23	Y	822		702			550										120																										
2026	2030 T	O		WG23	Y	822		702			550										120																										
2026	2030 T	O		WG24	A	822		702			550										120																										
2026	2030 T	O		WG24	A	822		702			550										120																										
2026	2030 T	O		WG24	AW	822		702			550										120																										
2026	2030 T	O		WG24	AW	822		702			550										120																										
2026	2030 T	O		WG24	B	822		702			550										120																										
2026	2030 T	O		WG24	B	822		702			550										120																										
2026	2030 T	O		WG24	C	822		702			550										120																										
2026	2030 T	O		WG24	C	822		702			550										120																										
2026	2030 T	O		WG24	D	822		702			550										120																										
2026	2030 T	O		WG24	D	822		702			550										120																										
2026	2030 T	O		WG24	F	411		351			275										60																										
2026	2030 T	O		WG24	F	411		351			275										60																										
2026	2030 T	O		WG24	G	411		351			275										60																										
2026	2030 T	O		WG24	G	411		351			275							</																													

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000		
2026	2030	T	O	WG07	D	850		685					548											164				10																
2026	2030	T	O	WG07	F	425		342					205											82				5																
2026	2030	T	O	WG07	G	425		342					205											82				5																
2026	2030	T	O	WG07	H	850		685					548											164				10																
2026	2030	T	O	WG07	I	850		685					548											164				10																
2026	2030	T	O	WG07	J	478		389					233											93				6																
2026	2030	T	O	WG07	K	478		389					233											93				6																
2026	2030	T	O	WG07	TER	850		685					548											164				10																
2026	2030	T	O	WG07	Y	850		685					548											164				10																
2026	2030	T	O	WG08	A	595		480					288											115				7																
2026	2030	T	O	WG08	AW	595		480					288											115				7																
2026	2030	T	O	WG08	B	595		480					288											115				7																
2026	2030	T	O	WG08	C	595		480					288											115				7																
2026	2030	T	O	WG08	D	595		480					288											115				7																
2026	2030	T	O	WG08	F	425		342					205											82				5																
2026	2030	T	O	WG08	G	425		342					205											82				5																
2026	2030	T	O	WG08	H	595		480					288											115				7																
2026	2030	T	O	WG08	I	595		480					288											115				7																
2026	2030	T	O	WG08	J	478		389					233											93				6																
2026	2030	T	O	WG08	K	478		389					233											93				6																
2026	2030	T	O	WG08	TER	595		480					288											115				7																
2026	2030	T	O	WG08	Y	595		480					288											115				7																
2026	2030	T	O	WG09	A	595		480					288											115				7																
2026	2030	T	O	WG09	AW	595		480					288											115				7																
2026	2030	T	O	WG09	B	595		480					288											115				7																
2026	2030	T	O	WG09	C	595		480					288											115				7																
2026	2030	T	O	WG09	D	595		480					288											115				7																
2026	2030	T	O	WG09	F	425		342					205											82				5																
2026	2030	T	O	WG09	G	425		342					205											82				5																
2026	2030	T	O	WG09	H	595		480					288											115				7																
2026	2030	T	O	WG09	I	595		480					288											115				7																
2026	2030	T	O	WG09	J	478		389					233											93				6																
2026	2030	T	O	WG09	K	478		389					233											93				6																
2026	2030	T	O	WG09	TER	595		480					288											115				7																
2026	2030	T	O	WG09	Y	595		480					288											115				7																
2026	2030	T	O	WG10	A	595		480					288											115				7																
2026	2030	T	O	WG10	AW	595		480					288											115				7																
2026	2030	T	O	WG10	B	595		480					288											115				7																
2026	2030	T	O	WG10	C	595		480					288											115				7																
2026	2030	T	O	WG10	D	595		480					288											115				7																
2026	2030	T	O	WG10	F	425		342					205											82				5																
2026	2030	T	O	WG10	G	425		342					205											82				5																
2026	2030	T	O	WG10	H	595		480					288											115				7																
2026	2030	T	O	WG10	I	595		480					288											115				7																
2026	2030	T	O	WG10	J	478		389					233											93				6																
2026	2030	T	O	WG10	K	478		389					233											93				6																
2026	2030	T	O	WG10	TER	595		480					288											115				7																
2026	2030	T	O	WG10	Y	595		480					288											115				7																
2026	2030	T	O	WG11	A	595		480					288											115				7																
2026	2030	T	O	WG11	AW	595		480					288											115				7																
2026	2030	T	O	WG11	B	595		480					288											115				7																
2026	2030	T	O	WG11	C	595		480					288											115				7																
2026	2030	T	O	WG11	D	595		480					288											115				7																
2026	2030	T	O	WG11	F	425		342					205											82				5																
2026	2030	T	O	WG11	G	425		342					205											82				5																
2026	2030	T	O	WG11	H	595		480					288											115				7																

[illegible]

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000	
2026	2030	T	O	WG25	J	400					280			160			40				8					4																	
2026	2030	T	O	WG25	K	600					420			240			60				12					6																	
2026	2030	T	O	WG26	A	600								420			240				60					12																	
2026	2030	T	O	WG26	AW	600								420			240				60					12																	
2026	2030	T	O	WG26	B	600					420			240			60				12					6																	
2026	2030	T	O	WG26	C	600	420				240			60			12				6																						
2026	2030	T	O	WG26	D	600		420			240			60			12				6																						
2026	2030	T	O	WG26	F	300					210			120			30				6					3																	
2026	2030	T	O	WG26	G	150					105			60			15				3					1,5																	
2026	2030	T	O	WG26	H	600		420			240			60			12				6																						
2026	2030	T	O	WG26	I	600		420			240			60			12				6																						
2026	2030	T	O	WG26	J	400					280			160			40				8					4																	
2026	2030	T	O	WG26	K	600					420			240			60				12					6																	
2026	2030	T	O	WG27	A	600								420			240				60					12																	
2026	2030	T	O	WG27	AW	600								420			240				60					12																	
2026	2030	T	O	WG27	B	600					420			240			60				12					6																	
2026	2030	T	O	WG27	C	600		420			240			60			12				6																						
2026	2030	T	O	WG27	D	600		420			240			60			12				6																						
2026	2030	T	O	WG27	F	300					210			120			30				6					3																	
2026	2030	T	O	WG27	G	150					105			60			15				3					1,5																	
2026	2030	T	O	WG27	H	600		420			240			60			12				6																						
2026	2030	T	O	WG27	I	600		420			240			60			12				6																						
2026	2030	T	O	WG27	J	400					280			160			40				8					4																	
2026	2030	T	O	WG27	K	600					420			240			60				12					6																	
2026	2030	T	O	WG28	A	600								420			240				60					12																	
2026	2030	T	O	WG28	AW	600								420			240				60					12																	
2026	2030	T	O	WG28	B	600					420			240			60				12					6																	
2026	2030	T	O	WG28	C	600		420			240			60			12				6																						
2026	2030	T	O	WG28	D	600		420			240			60			12				6																						
2026	2030	T	O	WG28	F	300					210			120			30				6																						
2026	2030	T	O	WG28	G	150					105			60			15				3					1,5																	
2026	2030	T	O	WG28	H	600		420			240			60			12				6																						
2026	2030	T	O	WG28	I	600		420			240			60			12				6																						
2026	2030	T	O	WG28	J	400					280			160			40				8					4																	
2026	2030	T	O	WG28	K	600								420			240				12					6																	
2026	2030	T	O	WG29	A	600								420			240				60					12																	
2026	2030	T	O	WG29	AW	600								420			240				60					12																	
2026	2030	T	O	WG29	B	600					420			240			60				12					6																	
2026	2030	T	O	WG29	C	600		420			240			60			12				6																						
2026	2030	T	O	WG29	D	600		420			240			60			12				6																						
2026	2030	T	O	WG29	F	300					210			120			30				6					3																	
2026	2030	T	O	WG29	G	150					105			60			15				3					1,5																	
2026	2030	T	O	WG29	H	600		420			240			60			12				6																						
2026	2030	T	O	WG29	I	600		420			240			60			12				6																						
2026	2030	T	O	WG29	J	400					280			160			40				8					4																	
2026	2030	T	O	WG29	K	600								420			240				12					6																	
2026	2030	T	O	WG29	A	600								420			240				60					12																	
2026	2030	T	O	WG29	AW	600								420			240				60					12																	
2026	2030	T	O	WG29	B	600					420			240			60				12					6																	
2026	2030	T	O	WG29	C	600		420			240			60			12				6																						
2026	2030	T	O	WG29	D	600		420			240			60			12				6																						
2026	2030	T	O	WG29	F	300					210			120			30				6					3																	
2026	2030	T	O	WG29	G	150					105			60			15				3					1,5																	
2026	2030	T	O	WG29	H	600		420			240			60			12				6																						
2026	2030	T	O	WG29	I	600		420			240			60			12				6																						
2026	2030	T	O	WG29	J	400					280																																

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000
2026	2030	T	O	WG32	B	600					420			240			60				12					6																
2026	2030	T	O	WG32	C	600	420				240			60			12				6																					
2026	2030	T	O	WG32	D	600	420				240			60			12				6																					
2026	2030	T	O	WG32	F	300					210			120			30				6						3															
2026	2030	T	O	WG32	G	150					105			60			15				3					1,5																
2026	2030	T	O	WG32	H	600	420				240			60			12				6																					
2026	2030	T	O	WG32	I	600	420				240			60			12				6																					
2026	2030	T	O	WG32	J	400					280			160			40				8						4															
2026	2030	T	O	WG32	K	600					420			240			60				12						6															
2026	2030	T	O	WG33	A	600								420			240				60						12															
2026	2030	T	O	WG33	AW	600								420			240				60						12															
2026	2030	T	O	WG33	B	600					420			240			60				12						6															
2026	2030	T	O	WG33	C	600	420				240			60			12				6																					
2026	2030	T	O	WG33	D	600	420				240			60			12				6																					
2026	2030	T	O	WG33	F	300					210			120			30				6						3															
2026	2030	T	O	WG33	G	150					105			60			15				3						1,5															
2026	2030	T	O	WG33	H	600	420				240			60			12				6																					
2026	2030	T	O	WG33	I	600	420				240			60			12				6																					
2026	2030	T	O	WG33	J	400					280			160			40				8						4															
2026	2030	T	O	WG33	K	600					420			240			60				12						6															
2026	2030	T	O	WG34	A	600								420			240				60						12															
2026	2030	T	O	WG34	AW	600								420			240				60						12															
2026	2030	T	O	WG34	B	600					420			240			60				12						6															
2026	2030	T	O	WG34	C	600	420				240			60			12				6																					
2026	2030	T	O	WG34	D	600	420				240			60			12				6																					
2026	2030	T	O	WG34	F	300					210			120			30				6						3															
2026	2030	T	O	WG34	G	150					105			60			15				3						1,5															
2026	2030	T	O	WG34	H	600	420				240			60			12				6																					
2026	2030	T	O	WG34	I	600	420				240			60			12				6																					
2026	2030	T	O	WG34	J	400					280			160			40				8						4															
2026	2030	T	O	WG34	K	600					420			240			60				12						6															
2026	2030	T	O	WG35	A	600								420			240				60						12															
2026	2030	T	O	WG35	AW	600								420			240				60						12															
2026	2030	T	O	WG35	B	600					420			240			60				12						6															
2026	2030	T	O	WG35	C	600	420				240			60			12				6																					
2026	2030	T	O	WG35	D	600	420				240			60			12				6																					
2026	2030	T	O	WG35	F	300					210			120			30				6						3															
2026	2030	T	O	WG35	G	150					105			60			15				3						1,5															
2026	2030	T	O	WG35	H	600	420				240			60			12				6																					
2026	2030	T	O	WG35	I	600	420				240			60			12				6																					
2026	2030	T	O	WG35	J	400					280			160			40				8						4															
2026	2030	T	O	WG35	K	600					420			240			60				12						6															
2026	2030	T	O	WG36	A	600								420			240				60						12															
2026	2030	T	O	WG36	AW	600								420			240				60						12															
2026	2030	T	O	WG36	B	600					420			240			60				12						6															
2026	2030	T	O	WG36	C	600	420				240			60			12				6																					
2026	2030	T	O	WG36	D	600	420				240			60			12				6																					
2026	2030	T	O	WG36	F	300					210			120			30				6						3															
2026	2030	T	O	WG36	G	150					105			60			15				3						1,5															
2026	2030	T	O	WG36	H	600	420				240			60			12				6																					
2026	2030	T	O	WG36	I	600	420				240			60			12				6																					
2026	2030	T	O	WG36	J	400					280			160			40				8						4															
2026	2030	T	O	WG36	K	600					420			240			60				12						6															
2026	2030	T	O	WG37	A	600								420			240				60						12															
2026	2030	T	O	WG37	AW	600								420			240				60						12															
2026	2030	T	O	WG37	B	600					420			240			60				12						6															
2026	2030	T	O	WG37	C	600	420				240		</																													

Jaar	Code WOZ-deelobject	Systematiek	Code taxatiemethodiek	Waardegebied	Typeaanduiding	0	1	175	200	250	300	350	400	500	600	700	750	800	900	950	1000	1200	1400	1500	1800	2000	2200	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	10000	
2026	2030	T	O	WG59	C	400	280				160			40			8				4																						
2026	2030	T	O	WG59	D	400	280				160			40			8				4																						
2026	2030	T	O	WG59	F	200					140			80			20				4						2																
2026	2030	T	O	WG59	G	150					105			60			15				3						1,5																
2026	2030	T	O	WG59	H	400	280				160			40			8				4																						
2026	2030	T	O	WG59	I	400	280				160			40			8				4																						
2026	2030	T	O	WG59	J	275					193			110			27,5				5,5						2,75																
2026	2030	T	O	WG59	K	400					280			160			40				8																						
2026	2030	T	O	WG60	A	600								420			240				60						12																
2026	2030	T	O	WG60	AW	600								420			240				60						12																
2026	2030	T	O	WG60	B	600					420			240			60				12						6																
2026	2030	T	O	WG60	C	600	420				240			60			12				6																						
2026	2030	T	O	WG60	D	600	420				240			60			12				6																						
2026	2030	T	O	WG60	F	300					210			120			30				6						3																
2026	2030	T	O	WG60	G	150					105			60			15				3						1,5																
2026	2030	T	O	WG60	H	600	420				240			60			12				6																						
2026	2030	T	O	WG60	I	600	420				240			60			12				6																						
2026	2030	T	O	WG60	J	400					280			160			40				8						4																
2026	2030	T	O	WG60	K	600					420			240			60				12						6																
2026	2030	T	O	WG61	A	1100								770			440				110						22																
2026	2030	T	O	WG61	AW	1100								770			440				110						22																
2026	2030	T	O	WG61	B	1100								770			440				110						11																
2026	2030	T	O	WG61	C	1100	770				440			110			22				11																						
2026	2030	T	O	WG61	D	1100	770				440			110			22				11																						
2026	2030	T	O	WG61	F	550					385			220			55				11						5,5																
2026	2030	T	O	WG61	G	150					105			60			15				3						1,5																
2026	2030	T	O	WG61	H	1100	770				440			110			22				11																						
2026	2030	T	O	WG61	I	1100	770				440			110			22				11																						
2026	2030	T	O	WG61	J	725					508			290			72,5				14,5						7,25																
2026	2030	T	O	WG61	K	1100					770			440			110				22						11																
2026	2030	T	O	WG62	A	600								420			240				60						12																
2026	2030	T	O	WG62	AW	600								420			240				60						12																
2026	2030	T	O	WG62	B	600					420			240			60				12						6																
2026	2030	T	O	WG62	C	600	420				240			60			12				6																						
2026	2030	T	O	WG62	D	600	420				240			60			12				6																						
2026	2030	T	O	WG62	F	300					210			120			30				6						3																
2026	2030	T	O	WG62	G	150					105			60			15				3						1,5																
2026	2030	T	O	WG62	H	600	420				240			60			12				6																						
2026	2030	T	O	WG62	I	600	420				240			60			12				6																						
2026	2030	T	O	WG62	J	400					280			160			40				8						4																
2026	2030	T	O	WG62	K	600					420			240			60				12						6																
2026	2030	T	O	WG63	A	700								490			280				70						14																
2026	2030	T	O	WG63	AW	700								490			280				70						14																
2026	2030	T	O	WG63	B	700					490			280			70				14						7																
2026	2030	T	O	WG63	C	700	490				280			70			14				7																						
2026	2030	T	O	WG63	D	700	490				280			70			14				7																						
2026	2030	T	O	WG63	F	350					245			140			35				7						3,5																
2026	2030	T	O	WG63	G	150					105			60			15				3						1,5																
2026	2030	T	O	WG63	H	700	490				280			70			14				7																						
2026	2030	T	O	WG63	I	700	490				280			70			14				7																						
2026	2030	T	O	WG63	J	450					315			180			45				9						4,5																
2026	2030	T	O	WG63	K	700					490			280			70				14						7																
2026	2030	T	O	WG64	A	400								280			160				40						8																
2026	2030	T	O	WG64	AW	400								280			160				40						8																
2026	2030	T	O	WG64	B	400					280			160			40				8						4																
2026	2030	T	O	WG64	C																																						

